

- ⊕ Coulthard–Morris L. Clinical and Rehabilitation Outcomes Measures. In: Burns JS, Johnson KP (Eds.) Multiple: diagnosis, medical management, and rehabilitation. New York: Demos, 221–290, 2000.
- ⊕ Coyle PK. Diagnosis and classification of inflammatory demyelinating disorders. In: Burns JS, Johnson KP (Eds.) Multiple: diagnosis, medical management, and rehabilitation. New York: Demos, 81–98, 2000.
- ⊕ DiFabio RP, Sodeberg J. Choi T. Hansen CR, Shapiro RT. Extended outpatient rehabilitation: its influence on symptom frequency, fatigue, and functional status for persons with progressive multiple sclerosis. *Arch Phys Med Rehabil* 79, 141–146, 1998.
- ⊕ Erasmus LP, Sarno S, Albrecht H, Schewecht M, Pollmann W, Konig NJ. Measurement of ataxic symptoms with a graphic tablet: standard values in controls and validity in Multiple Sclerosis patients. *Neurosci Methods*, pp. 25–37, 2001.
- ⊕ Feigenson JS, Scheinberg L, Catalano M, Polkow L, Mantegazza PM, Feigenson WD, LaRocca NG. The cost–effectiveness of multiple sclerosis rehabilitation: a model. *Neurology*, 1316 – 1322, 1981.
- ⊕ Fisher JS, Rudick RA, Cutter GR, Reingold SC. The Multiple Sclerosis Functional Composite Measure (MSFC): an integrated approach to MS clinical outcome assessment. National MS Society of Clinical Outcomes Assessment Task Force. *Multiple Sclerosis*, 5 pp. 244–250, 1999.
- ⊕ Fischer JS, LaRocca NG, Miller DM, Ritvo PG, Andrews H, Paty D. Recent developments in the assessment of quality of life in multiple sclerosis. *Multiple Sclerosis* 5, 251–259.
- ⊕ Freeman JA, Langdon DW, Hobart JC, Thompson AJ. The impact of inpatient rehabilitation on progressive multiple sclerosis. *Ann Neurol* 42, 195–205, 1997.
- ⊕ Freeman JA, Langdon DW, Hobart JC, Thompson AJ. Inpatient rehabilitation in multiple sclerosis. Do the benefits carry over into the community? *Neurology* 52, 50–56, 1999.
- ⊕ Fuller KJ, Dawson K, Wiles CM. Physiotherapy in chronic multiple sclerosis: a controlled trial. *Clin Rehabil* 10, 195–205, 1996.
- ⊕ Granger CF. Assessment of functional status: a model for

- multiple sclerosis. *Acta Neurol Scand*, 40–47, 1981.
- ⊕ Granger CV, Cotter AC, Hamilton BB, Fiedler RC, Hens MM. Functional assessment scales: a study of persons with multiple sclerosis. *Arch Phys Med Rehabil*. 870–875, 1990.
  - ⊕ Greenspun B, Stineman M, Agri R. Multiple Sclerosis and rehabilitation outcome. *Arch Phys Med Rehabil*, 434–437, 1987.
  - ⊕ Herndon RM. Pathology and Pathophysiology. In: Burks JS, Johnson KP (Eds.) *Multiple Sclerosis: diagnosis, medical management, and rehabilitation*. New York: Demos, 35–48, 2000.
  - ⊕ Hoogervost ELJ, van Winsen LML, Eikelboom MJ, Kalkers NF, Uitdehaag BMJ, Polman CH. Comparisons of patient self-report, neurologic examination, and functional impairment in MS. *Neurology*, 56, 934–937, 2001.
  - ⊕ IFBN Multiple Sclerosis Study Group. Interferon beta-1b effective in relapsing-remitting multiple sclerosis. I. Clinical results of multicentre, randomised, double-blind, placebo-controlled trial. *Neurology*, 43, 655–661, 1993.
  - ⊕ IFMSS web page, [www.ifmss.org.uk](http://www.ifmss.org.uk).
  - ⊕ Kidd D, Howard RS, Loseff NA, Thompson AJ. The benefit of inpatient neurorehabilitation in multiple sclerosis. *Clin Rehabil* 9, 198–209, 1995.
  - ⊕ Kraft GH. Rehabilitation still the only way to improve function in multiple sclerosis. *The Lancet* 354, 2016–2017, 1999.
  - ⊕ Kurtzke JF. A proposal for a uniform minimal record of disability in multiple sclerosis. *Acta Neurol Scand*, 62, 65–80, 1980.
  - ⊕ Kurtzke JF. Rating neurologic impairment in multiple sclerosis: an expanded disability status scale (EDSS). *Neurology* 33, 1444–1452, 1983.
  - ⊕ Kurtzke JF, Wallin MT. Risk factors and theories of causation. In: Burks JS, Johnson KP (Eds) *Multiple sclerosis: diagnosis, medical management, and rehabilitation*. New York: Demos, 49–74, 2000.
  - ⊕ Langdon DW, Thompson AJ. Multiple Sclerosis: a preliminary study of selected variables affecting rehabilitation outcome. *Multiple Sclerosis* 5, 94–100, 1999.
  - ⊕ Liu X, Miall RC, Aziz TZ, Palace JA, Steina JF. Distal versus

- proximal arm tremor in multiple sclerosis assessed by visually guided tracking tasks. *J. Neurol Neurosurg Psychiatry*, 66, 43–47, 1999.
- ⊕ Panich HS. Influence of infection on exacerbation of multiple sclerosis. *Ann Neurol*, 36: S25–S28, 1994.
  - ⊕ Ponichtera–Mulcare JA. Exercise and multiple sclerosis. *Med Sci Sports Exerc*, 25(4), 451–465, 1993.
  - ⊕ Rudick RA, Cohen JA, Weinstock–Guttman B, Kinkel RP, Ranshoff RM. Management of multiple sclerosis. *N. Engl J Med* 337, 1604–1611, 1997.
  - ⊕ Sharrack B, Hughes RAC. Clinical scales for MS. *J. Neurol Sci*, 135, 1–9, 1996.
  - ⊕ Sharrack B, Hughes RAC. The Guy's neurological disability scale (GNDS): a new disability measure for multiple sclerosis. *Multiple Sclerosis* 5, 223–233, 1999.
  - ⊕ Solari A, Amato MP, Bergamaschi R, Logroscino G, Citterkio A, Bochicchio D, Filippini G. Accuracy of self–assessment of the minimal record of disability in patients with multiple sclerosis. *Acta Neurol Scand*, 87, 43–46, 1993.
  - ⊕ Solari A, Filippini GH, Gasco P, Colla L, Salmaggi A, La Mantia L, Farinotti M, Eoli M, Mendozzi L. Physical rehabilitation has a positive effect on disability in multiple sclerosis patients. *Neurology*, 52, 57–62, 1999.
  - ⊕ Van Sint Annaland E, Lord S. Vigorous exercise for multiple sclerosis: a case report. *NZ J Physiotherapy* 27(3), 42–45, 1999.